

FEDOROV, A.I., doktor biol. nauk, prof., red.; ZOTOVA, A.P.,
red.; SHERMUSHENKO, T.A., tekhn. red.

[Useful and noxious plants of Leningrad Province] Polez-
nye i vrednye rasteniia Leningradskoi oblasti. Leningrad,
Lenizdat, 1963. 172 p. (MIRA 17:3)

ANTONOVA, Tat'yana Sergeyevna; ZOTOVA, A.P., red.; LEVONEVSKAYA, L.G.,
tekhn. red.

[High cabbage yields] Vysokie urozhai kapusty. Leningrad, Lenizdat,
1960. 18 p. (MIRA 14:8)
(Cabbage)

LAPIROV, Aron Il'ich; ZOTOVA, A.P., red.; ONOSHKO, N.G., tekhn. red.

[Asparagus] Spartzha. Leningrad, Lenizdat, 1961. 16 p.
(Asparagus) (MIRA 14:7)

ZOTOVA, "APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065510007-5
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065510007-5"

Inst. Vaccines and Sera, Leningrad, (-1944-).

"Purification of tetanus and anatoxin by means of dialysis and electro-dialysis."

Zhur. Mikrobiol., Epidemiol., i Immunobiol., No. 1-2, 1944.

GLAZUNOV, P.D., starshiy inzh.: DANILENKO, N.M., starshiy inzh.: ZHUKOV, V.K., starshiy inzh.; ZUYEV, A.I., obshchiy red.; ZOTOVA, A.P., red.; TIKHONOVA, I.M., sekhn.red.

[Efficiency-improving suggestions from agricultural machinery operators; practices of machinery operators on collective farms and state farms and at repair and improvement stations] Ratsionalizatorskie predlozhenia mekhanizatorov sel'skogo khoziaistva; iz opyta raboty mekhanizatorov kolkhosov, sovkhosov, remontno-tekhnicheskikh i melliiorativnykh stantsii Leningradskoi oblasti. Leningrad, Lenizdat, 1959. 119 p. (MIRA 13:3)

1. Leningradskoye oblastnoye upravleniye sel'skogo khozyaystva (for Glasunov, Danilenko, Zhukov). 2. Glavnyy inzhener Leningradskogo oblastnogo upravleniya sel'skogo khozyaystva (for Zuyev). (Agricultural machinery)

RADA, Boris Frantsevich; IHDENBOM, Pavel Borisovich; ANGIN,
Andrey Nikolayevich; ZOIOVA, A.P., red.

[Carrots and parsley] Morkov' i petrushka. Leningrad,
Lenizdat, 1965. 41 p. (MIRA 13:10)

QAVRILOV, I.S.; ZOTOVA, A.P., red.

[Home processing of vegetables, fruits, and berries]
Pererabotka ovoshehei, plodov i jagod v domashnikh us-
loviakh. Leningrad, Lenizdat, 1965. 158 p.
(MIRA 18:12

YAKOVLEVA, G.A., inzh.; ZOTOVA, A.S., inzh.

Selecting an efficient type of cement concrete plant. Avt.dor.
25 no.1:15-16 Ja '62. (MIRA 15:2)
(Concrete plants)

MEYERSON, A.B., kand. ekonom. nauk; ZOTOVA, A.S., inzh.; KARICH, Yu.S., inzh.

Longterm organization of a motortruck unit. Avt. cor. 28 nc.9;
23-24 S '65. (MIRA 18:10)

SFERANSKIY, N.I.; GLAGOLEVA, N.A.; ZOTOVA, A.T.; LEONOVA, V.M.; ROZENBLIT,
Ye.I.; STUDNITSYNA, L.A.

Result of using aeroion therapy in hypertension and stenocardia.
Vop.kur., fizioter. i lech. fiz. kul't. 28 no.2:130-135 Mr-Ap'63.
(MIRA 16:9)

1. Iz terapevticheskogo otdeleniya (zav. - prof. N.I. Speranskiy)
kliniki Tsentral'nogo instituta kurortologii i fizioterapii
(dir. - kand. med.nauk G.N.Pospelova)
(HYPERTENSION) (AIR, IONIZED—THERAPEUTIC USE)
(ANGINA PECTORIS)

SPERANSKIY, N. I.; GLAGOLEVA, N. A.; ZOTOVA, A. T.; LEONOVA, V. M.;
ROZENBLIT, Ye. I.; STUDNITSYNA, L. A. (Moskva)

Treatment of stenocardia with novocaine electrophoresis in
Zakharin-Head' zones. Klin. med. no.9:103-106 '61.
(MIRA 15:6)

1. Iz terapevticheskoy kliniki (zav. - prof. N. I. Speranskiy)
TSentral'nogo instituta kurortologii i fizioterapii (dir. G. N.
Pospelova)

(ANGINA PECTORIS) (NOVOCAINE)

MINKINA, V.A.; ZOTOVA, A.V.; KRAVNODYMSKAYA, G.N.

Experience in therapeutic and prophylactic work in the school.
Pediatria no.8:8-11 '62. (MIRA 15:10)

1. Iz otdela organizatsii detskogo zdruvookhraneniya (zav. -
prof. A.G.Tseytlin) Gosudarstvennogo nauchno-issledovatel'skogo
pediatricheskogo instituta (dir. - kandidat meditsinskikh nauk
V.P.Spirina).

(SCHOOL HYGIENE)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065510007-5
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065510007-5

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00613R002065510007-5
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065510007-5

USSR / General Problems of Pathology. Immunity.

U

Abs Jour: Ref Zhur-Biol., No 11, 1958, 51485.

Author : Zotova, E. E., Nikitina, V. A., Sluchevskiy, I. F.

Inst : Not given.

Title : On the Problem of Immunity in Psychic Disorders.

Orig Pub: Sb. Psikhiatr. klinika i probl. patol, vyssh.
nervn. deyat-sti, Vyp. 2, L., 1957, 220-235.

Abstract: The immunological reaction to typhoid vaccination was studied in 29 patients with schizophrenia, paraphrenia, cyclothymia etc. The original agglutination (AT) titer in 21 patients was 1:50-1:200. The increase of AT as a result of vaccination was insignificant and reversible. (For inst.: AT prior to vaccination, 1:100, - after the third and fourth - 1:400, 1:50).

Card 1/1

DORTMAN, Nina Borisovna, ~~MAKHAYEVA~~, Valentina
Ivanovna; VEYNBERG, A.K.; DOBINCHIK, E.Ya.; ZHDANOV, V.V.;
ZOTOVA, I.F.; ILAVEV, M.G.; TRUNINA, V.Ya.; KEOREVA, B.Ya.;
SHOLPO, L.Ye.; G/PEYEVA, G.M., red.; KALMYKOVA, I.A.,
ved. red.

[Physical properties of rocks and minerals in the U.S.S.R.]
Fizicheskie svoistva gornykh porod i poleznykh iskopaemykh
SSSR. Moskva, Nedra, 1964. 325 p. (MIRA 18:1)

1. Leningrad. Vsesoyuznyy geologicheskii institut.

MOSKALEVA, S.V.; ZOTOVA, I.F.

Magnetic properties of ultrabasic rocks. Dokl. AN SSSR 162 no.1:70-73
My '65. (MIRA 18:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy geologicheskii institut.
Submitted August 6, 1964.

L 1585.66 EWT(1)/EWA(h) GW

AM5015051

BOOK EXPLOITATION

URV

106
582A

Dortman, Nina Borisovna; Vasil'yeva, Valentina Ivanovna; Vornberg, A. K.; Dubin-
chik, E. Ya.; Zhdanov, V. V.; Kotova, I. F.; Ilarev, M. G.; Trupina, V. Ya.;
Khorova, B. Ya.; Sholpa, L. Ya.

Physical properties of rocks and mineral resources of the USSR (Fizicheskiye svo-
ystva gornykh porod i poleznykh iskopayemykh SSSR) Moscow, Izd-vo "Nedra", 1964.
325 p. illus., biblis. (At head of title: Gosudarstvennyy geologicheskii komi-
tet SSSR. Vsesoyuznyy nauchno-issledovatel'skiy geologicheskii institut).
3000 copies printed. Under the editorship of G. M. Gapeyeva and N. B. Dortman;
Principal editor: I. A. Kalmykova; Technical editor: A. S. Paleyina; Proofreaders:
K. S. Teroptseva

TOPIC TAGS: magmatic rock, metamorphic rock, mineralogy, petrology, seismology

PURPOSE AND COVERAGE: This book is the result of the generalization of materials
collected primarily by geophysical trusts and geologic agencies, as well as by the
institute named (VSEGEI). Principal attention is paid to the basic laws governing
variations in the physical properties of rocks, various petrographic groups, and
useful minerals of diverse mineralogic composition. The physical parameters to

Card 1/3

L 1585-66
AM5015051

48
which special attention is given include the density, the magnetic susceptibility, the specific electrical resistance, and the rate of propagation of longitudinal and transverse waves. The compilers of the book are colleagues of the Laboratory of physical properties of rocks of the Otdel petrografii of VSNIGI. They express their gratitude to B. A. Andreyev, A. A. Logachev, O. I. Martynova, B. V. Moskvaleva, A. S. Semenov, T. N. Simonenko, K. G. Bogdanova, Ye. A. Bulakova, V. F. Dybkov, K. K. Litov, V. I. Moskvaleva, I. A. Petrova, Yu. Ye. Ryzh, Ye. A. Shadrin, A. T. Solov'yev, and A. D. Shcheglov.

44,55
44,55
44,55
TABLE OF CONTENTS:

Introduction	- - 3
Part I. Physical properties of magmatic and metamorphic rocks	
Ch. I. Physical properties of rock-forming minerals	- - 9
Ch. II. Density of rocks	- - 33
Ch. III. Magnetic properties of rocks	- - 93
Ch. IV. Specific electrical resistance of rocks	- - 172
Ch. V. Rate of propagation of longitudinal elastic waves in rocks	- - 193
Ch. VI. Change in physical properties of rocks, depending on manifold pressure	

Card 2/3

L 1585-66

AM5015051

and temperature -- - 204

Part II. Physical properties of metallic and nonmetallic mineral resources

Ch. VII. Physical properties of ores -- - 248

Ch. VIII. Physical properties of nonmetallic mineral resources -- - 299

Literature -- - 313

Appendix -- - 320

SUB CODE: ES

SUBMITTED: 22Sep64

NR REF SOV: LHO

OTHER: 044

DATE ACQ: 21Nov64

Card 3/38

GOFMAN, I.L.; ZOTOVA, K.S.; ALEKSASHINA, L.M.; Prinimuli uchastiye: VINNIK, M.M.; LYSENKO, M.G.; BAKARINOVA, N.M.; NIKITINA, N.A.

Preparation of a tetrasodium pyrophosphate decahydrate food product based on phosphoric acid obtained by the extraction method. Khim.-prom. no.9:630-632 S '62. (MIRA 15:11)

1. Nauchno-issledovatel'skiy institut po udobreniyam i insektofungisidam imeni Samoylova i Opytnyy zavod Nauchno-issledovatel'skogo instituta po udobreniyam i insektofungisidam imeni Samoylova.
(Phosphoric acid) (Sodium pyrophosphate)

5 (4)

AUTHORS:

Trapeznikov, A. A., Zotova, K. V.

SOV/20-128-2-32/59

TITLE:

The Formation of Thixotropic Structure in an OT Aerosol-
sucrose Solution and in Bilateral Films Formed by It, and the
Effect of This Structure on the Stability of Foams

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 128, Nr 2, pp 337-340 (USER)

ABSTRACT:

The viscosity and elasticity of bilateral films (shortly called film in the following) was investigated by means of the method of horizontal concentric rings as described in reference 2. The aerosol OT used (dioctylester of sulfosuccinic acid) forms stable films. To study the effect of the sucrose, which is used to raise the stability of foams, OT-solutions (0.045 mol/l) were treated with 1.4 mol/l of sucrose. The results show (Table 1) that the property of the film greatly depends on an aging process. In newly prepared solutions no effect of sucrose on the viscosity is noticed, whereas viscosity increases by 300 times in about 100 days. If the measurement of the film property of an aged solution is repeated several times, the viscosity of the film decreases to the original amount of the fresh solution (Table 2). This was also confirmed by direct measurement of the solution viscosity (Table 3). After some

Card 1/3

The Formation of Thixotropic Structure in an OT
Aerocol-sucrose Solution and in Bilateral Films Formed by It, and the Effect
of This Structure on the Stability of Foams

SOV/20-128-2-32/59

rest of the film viscosity increases again (Table 4). A similar fact was observed when investigating foam stability. Whereas foams produced by careful stirring proved a stability depending on the age of the solution, the foam of a violently stirred solution collapses as fast as the foam of a newly prepared solution (Fig 1). Therefore a thixotropic structure of the solution mixed with sucrose is assumed, which is again destroyed by mechanical action. The stabilization of the foam and the film of an aged solution is reached by retarding the outflow of the fluid from the film. Therefore the films of aged solutions are colorless and about 1μ thick, while films with disturbed structure become thin quickly and show interference colors. There are 1 figure, 4 tables, and 4 references, 3 of which are Soviet.

ASSOCIATION:

Institut fizicheskoy khimii Akademii nauk SSSR (Institute of
Physical Chemistry of the Academy of Sciences, USSR)

Card 2/3

ZOTOVA, K.V.; TRAPEZNIKOV, A.A.

Two-sided films formed from solutions of aerosol MA with
gelatine additions. Koll. zhur. 27 no.2:197-202 Mar-Apr '65.
(MIRA 18:6)

1. Institut fizicheskoy khimii AN SSSR, Moskva.

AUTHORS: Zotova, K. V., and Trapeznikov, A. A.

20-1175-30/54

TITLE: Shear Strength of Two-sided Films and Surface Layers in Saponin Solutions (Sdvigovaya prochnost' dvustoronnikh plenok i poverkhnostnykh sloyev v rastvorakh saponina).

PERIODICAL: Doklady AN SSSR, 1957, Vol. 117, Nr 5, pp. 833-836 (USSR).

ABSTRACT: The simultaneous investigation of the mechanical properties of mechanical films and of surface layers at differing concentrations represents a new method for the study of the properties and of the composition of two-sided films. The present paper employs the method of shear strength of surface layers and of two-sided films. Two concentric rings consisting of platinum wire with a diameter of 0,1 cm and with the radii $R_1 = 2,738$ cm and $R_2 = 2,995$ cm were mounted in a horizontal position. The further set-up of the experimental arrangement is described. The authors investigated various saponines, which obviously display widely differing abilities for the formation of films and of foam and different mechanical properties. Here, imported and Sovietic saponines were examined. The present paper investigates the data of one of the imported saponines, that is to say Kahlbaum (Kaltbaum), which formed films of a comparative stability and with good

Card 1/3

20-10 10 10 10
Shear Strength of Two-sided Films and Surface Layers in Saponin Solutions.

mechanical properties between the rings. A diagram illustrates the curves of the dependence of the deformation Σ on the shear strength for the two-sided films, which were produced from solutions with varying concentrations. If P reaches a certain value $P = P_r$, then Σ increases particularly quickly. This speaks in favour of a flowing, which is connected with a destruction of structure. A further diagram illustrates the curves of the dependence of Σ on P of surface layers in identical saponine solutions. In general, they resemble the curves of the films, they show, however, a less marked transition to the vertical domain, which characterises the destruction of structure and the flowing process. The quantity P_r of the surface layers increases continuously with an increasing concentration, the quantity P_r of the films produced from the same solutions passes through a sharp maximum in the range of comparatively low concentrations of the solution. The strength of the adsorption layer of the film reaches only half the amount of the strength of the surface. Without doubt, even saponines carefully purified contain components with a differing surface activity, even the more the cheaper varieties, which are differing by their molecular structure. The results found here permit the expla-

Card 2/3

! Shear Strength of Two-sided Films and Surface Layers in Saponin Solutions. 20-117-5-30/54

nation of numerous peculiarities of the stability of foams.
There are 4 figures, and 6 Slavic references.

ASSOCIATION: Institute for Physical Chemistry AS USSR (Institut fizicheskoy khimii Akademii 'nauk SSSR).

PRESENTED: June 11, 1957, by P. A. Rebinder, Academician.

SUBMITTED: June 1, 1957.

ZOTOVA, K.V.; TRAPEZNIKOV, A.A.

Structural and mechanical properties of surface layers in
solutions of saponins and of two-sided films formed by them.
Koll.zhur. 26 no.2:190-197 Mr-Ap '64. (MIRA 17:4)

1. Institut fizicheskoy khimii AN SSSR, Moskva.

ZOTOVA, K.V.; TRAPEZNIKOV, A.A.

Stability of films and foams and mechanical properties of
films from solutions of saponins, alkaryl sulfonates, and
esters of sulfosuccinic acid. Koll. zhur. 26 no.3:312-317
My-Je '64 (MIRA 1.7:9)

1. Institut fizicheskoy khimii AN SSSR, Moskva.

ZOTOVA, K.V.; TRAPEZNIKOV, A.A.

Shear strength of two-sided films and surface layers in saponin solutions. Dokl. AN SSSR 117 no.5:833-836 D '57. (MIRA 11:3)

1. Institut fizicheskoy khimii Akademii nauk SSSR. Predstavleno akademikom P.A.Rebinderom.
(Saponins) (Film coefficients (Physics))

TRAPEZNIKOV, A.A.; ZOTOVA, K.V.

Mechanical properties of the adsorption layers of saponin at
the interfaces of aqueous solution - solvent and aqueous
solution - toluene rubber solution. Koll. zhur. 27 no.4:
614-618 N.-Ag '65. (MIRA 18:12)

I. Institut Khimicheskoy Khimii AN SSSR, Moskva. Submitted
July 9, 1965.

ZOTOVA, L., aspirantka.

Cost of aeronautical chemical work. Grazhd.av. 14 no.1:34 Ja '57.
(MIRA 10:4)

1. Moskovskiy inzhenerno-ekonomicheskii institut imeni Sergo Ordzhonikidze.

(Aeronautics in agriculture) (Spraying and dusting)

SHALIMOV, Fedor Andreyevich; ZOTOVA, L.A., red.

[Winged assistants of agriculture] Krylatye pomoshchniki
zemledel'tsa. Moskva, Znanie, 1964. 24 p. (Novoe v zhizni,
nauke, tekhnike. V Seriya: Sel'skoe khoziaistvo, no.23)
(MIRA 17:11)

TARNOVICH, Nikolay Konstantinovich; ZOTOVA, L.A., red.

[Mechanization of the chemical protection of plants]
Mekhanizatsiia khimicheskoi zashchity rastenii. Mo-
skva, Znanie, 1964. 32 p. (Novoe v zhizni, nauke,
tekhnike. V Serii: Sel'skoe khoziaistvo, no.22)
(MIRA 17:11)

KOROVKIN, Ivan Petrovich; ZOTOVA, L.A., red.

[Suburban agricultural factories] Sel'skokhoziaistvennye
fabriki prigoroda. Moskva, Znanie, 1964. 46 p. (Novoe v
zhizni, nauke, tekhnike. V Serii: Sel'skoe khoziaistvo,
no.21) (MIRA 17:11)

GAR, Konstantin Arkad'yevich; BOBNEVA, N.P., red.; ZOTOVA, L.A.,
red.

[Chemistry protects crops] Khimii zashchishchaet uslo-
zhai. Moskva, Izd-vo "Znanie," 1964. 27 p. (Novos v
zhizni, nauke, tekhnike. V Serii: Sel'skoe khozinstvo,
no.12) (MIRA 17:7)

GAYDEKEVICH, Leonid Imokent'yevich; ZATOVA, L.A., red.

[Nutrition of legumes] Pitaniye bobovykh. Moskva, Izd-vo "Znanie," 1965. 31 p. (Novoe v zhizni, nauka, tekhnika. V Serii; Sel'skoe khozizistvo, no.1)
(MIRA 18:1)

KOROLEV, Boris Aleksandrovich; ZOTOVA, L.A., red.

[Let us intensify our agriculture] Vesti khoziaistvo intensivno.
Moskva, Izd-vo "Znanie," 1964. 32 p. (Novoe v shizni, nauke,
tekhnike. V Serii: Sel'skoe khoziaistvo, no.11) (MIRA 17:7)

BALYURA, Vladimir Ivanovich, kand. sel'khoz. nauk; ZOTOVA, L.A.,
red.

[Breeding of early ripening types] Sel'skoe khoziaistvo
russkoy respubliky. Moskva, Izd-vo "Znanie," 1964. 44 p. (Novoe
v zhizni, nauke, tekhnike. V Serii: Sel'skoe khoziaistvo,
no.9) (MIRA 17:6)

L 23321-86

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R0002065510007-5

ENT(1)/EEC(R)-2/T/20A(h) LJP(G)

ACC NR: AT6008782

SOURCE CODE: UA/2557/65/000/011/0003/0019

AUTHOR: Nikolayevskiy, I. F., Perel'man, B. L., Skorik, K. I., Zetova, L. G.

ORG: none

TITLE: Low-temperature parameters of transistors 25-44

SOURCE: Poluprovodnikovyye pribory i ikh primeneniye; sbornik statey, no. 14, 1965, 3-19

TOPIC TAGS: germanium, transistor, parameter

ABSTRACT: Theoretical and experimental data regarding current amplification and input and output impedance of various types of the transistors in the low-temperature ranges are considered. An experimental liquid nitrogen refrigeration chamber is described; this chamber keeps the temperature of the medium within the low temperature range, down to -160C, with deviations not exceeding + 2C. The aim of the study was to fill the existing gap in the theoretical and experimental data on the low-frequency operation of germanium transistors in the low-temperature range down to -140C. Graphs and data presented in the original article on temperature dependences of transistor electric parameters are based on measurement results from 10-40 transistors of each type tested. Orig. art. has: 14 figures, 1 table, and 25 formulas. [KP]

SUB CODE: 09/

SUBM DATE: none/

ORIG REF: 003/

OTH REF: 002/

Card 1/1

UDC: 621.382.342.029.45

ACC NR: AP7003850

(A)

SOURCE CODE: UR/0122/67/000/001/0068/0070

AUTHORS: Zotova, L. K. (Candidate of technical sciences, Docent); Shashkin, A. S.
(Candidate of technical sciences); Gel'fond, A. S. (Engineer)

ORG: none

TITLE: New chip-breaking mechanisms for turning lathes

SOURCE: Vestnik mashinostroyeniya, no. 1, 1967, 68-70

TOPIC TAGS: lathe, cutting tool, high speed metal cutting, alloy, steel/ T5K10 alloy,
1K62 lathe, 1Kh18N9T steel, 2Kh13 steel, 40Kh steel, 30KhGSNA steel

ABSTRACT: Gear-and-lever chip-breaking mechanisms for lathes are described. The
breaking method used here was described earlier by L. K. Zotova, A. S. Shashkin, and
A. S. Gel'fond (Universal'nyye struzhkolomatel'nyye mekhanizmy dlya tokarnykh stankov.
M., GOSINTI, No. 21-64-763/8, 1964). The mechanisms provide diverse and controllable
rules for cutting-tool feed (see Fig. 1). Control tests were performed with T5K10
hard alloy and with 1Kh18N9T, 2Kh13, 40Kh, and 30KhGSNA steels. It was found that
intermittent cutting ensured reliable and stable chip breaking over a fairly wide
range of machinable materials, cutting conditions, and tool geometry. High-speed
turning with the use of the described mechanisms provides safer operating conditions,
since the chips are obtained in the form of short, coiled spirals. The mechanism
permits the lathe to be switched from intermittent to continuous cutting. Application

Card 1/2

UDC: 621.941.014.8

ACC NR: AP7003850




Fig. 1.

of these mechanisms does not interfere with the general-purpose operation of a lathe when properly designed. Orig. art. has: 2 formulas, 2 diagrams, and 3 graphs.

SUB CODE: 13/ SUBM DATE: none/ ORIG REF: 005

ЛОТОВА, Л. К.

"Investigation fo the Process of the Curlign of Shavings in the Presance of High-Speed Cutting." Min Heavy Machine Building USSR, Central Sci Res Inst of Technology and Machine Building (TsNIITMash), Moscow 1953
(Dissertation for the Degree of Candidate of Technical Sciences)

SO: Knizhnaya Letopis', No. 32, 6 Aug 55

ZOTOVA, L.K., IZVAREV, G.S.; DEDUCHENKO, N.I.

Investigating the performance of cutting tools having multifaced
hard-alloy bits. Stan. i instr. 36 no.6:33-35 Je '65.
(MIRA 18:8)

SOV/124-57-4-4752

Translation from: Referativnyy zhurnal. Mekhanika, 1957, Nr 4, p 126 (USSR)

AUTHOR: Zotova, L. K. (*Land. Tech. Sci*)

TITLE: On the Process of Curling of Metal Shavings (O protsesse struzh-
kozavivaniya)

PERIODICAL: Sb. statey. Ural'skiy politekhn. inst, 1956, Nr 63, pp 63-69

ABSTRACT: The problem of controlled chipping is discussed as one of the aspects brought into foreground by the adoption of high-speed metal-cutting methods. Hot, sharp-edged shavings present a hazard for the operator and are unwieldy in transportation; it is, therefore, desirable that safe, curled shavings be produced in the course of machining. Certain considerations are presented permitting rational selection and design of attachments to induce the curling of shavings. On the strength of his own experimental data, the author concludes that a reduction in the width of contact between the cutting tool and the shaving results in a reduction of the curvature of the latter. See also RZhMekh, 1957, Nr 4, abstract 4743.

G. S. Shapiro

Card 1/1

ZOTOVA, L.M., kand.ekonom.nauk

Estimating the operations of furniture enterprises. Der.prom.
11 no.4:1-3 Ap '62. (MIRA 15:4)

1. Nauchno-issledovatel'skiy ekonomicheskij institut
Gosekonomsoveta SSSR.
(Furniture industry)

APPROVED FOR RELEASE: Thursday, September 26, 2002

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
22

USSR / General and Special Zoology. Insects.

P

Abs Jour: Ref Zhur-Biol., No 3, 1958, 11706

Author : Zotova L. M.

Inst : Not given

Title : The Effectiveness of the Use of Aviation in the
Control of Pests.

Orig Pub: Sakharnaia svekla, 1957, No 2, 37-39.

Abstract: No abstract.

Card 1/1

13

YAGUPOL'SKAYA, L.N.; GRABIN, V.F.; ZOTOVA, L.M.

Effect of isothermal holding at 70° C on the corrosion
resistance of welded joints in the AMg6 alloy. Avtom.
svar. 17 no.8:31-35 Ag '64.

(MIRA 17:11)

1. Institut elektrosvariki imeni Patona AN UkrSSR.

L 35871-66

EWI(m)/EWP(t)/ETI

IJP(c)

SOURCE CODE: UR/0413/66/000/011/0128/0128

ACC NR: AP6021486

INVENTOR: Rabkin, D. M.; Yagupol'skaya, L. N.; Langer, N. A.; Dovbishchenko, I. V.;
Nikitina, A. V.; Zotova, L. M.; Martynova, N. A.; Yelagin, V. I.; Ishchenko, A. Ya.;
Bondar, V. V.

ORG: none

TITLE: Filler-wire for argon-shielded arc welding of aluminum. Class 49, No. 182487
[announced by the Electric Welding Institute im. Ye. O. Paton (Institut elektrosvarki)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 11, 1966, 128

TOPIC TAGS: welding, aluminum ~~welding~~, arc welding, argon, ~~shielded arc welding~~,
welding wire, aluminum wire, ~~chromium containing wire~~, ~~chromium containing wire~~,
~~corrosion resistance~~, ~~chromium containing alloy~~, ~~zirconium containing alloy~~

ABSTRACT: This Author Certificate introduces a filler-wire for argon-shielded arc
welding of aluminum. To improve the weld corrosion resistance, the wire contains
0.8—1.2% chromium and 0.7—1.2% zirconium. [ND]

SUB CODE: 11, 13/²⁷ SUBM DATE: 25Dec63/¹⁶ ATD PRESS: 5036

UDC: 621.751.753.93.042

Cord 1/1

ZOTOVA, L.P.; YASTRZHEMSKIY, A.L.

Floating valves of flush tanks and their principal technical
characteristics. Sbor. trud. NIIST no.11:133-145 '62
(MIRA 18:1)

AKOVBYAN, A.A., professor; ZOTOVA, M.E.; FILATOVA, A.A.; TIKHONOV, V.F.

Ekmovocillin in the treatment of syphilis. Vest. ven i derm. no.4:
46-48 J1-Ag '54. (MLRA 7:8)

1. Iz kafedry kozhnykh i venericheskikh bolezney (sav. prof. A.A. Akovbyan) Tashkentskogo meditsinskogo instituta imeni V.M.Molotova.

(PENICILLIN, derivatives,

*procaine penicillin, ther. of syphilis, with ekmolin)

(SYPHILIS, therapy,

*penicillin, procaine, with ekmolin)

(ANTIBIOTICS, therapeutic use,

*ekmolin in syphilis, with procaine penicillin)

Electrochemical method for the detection of lead in leadzinc. M. J. Zucchi. *Exptl. Metall.* 1942, No. 7, 71-72. To 100 g. substance in a porcelain dish add 3 ml. of the nitrate mixt. (40 g. $\text{Al}(\text{NO}_3)_3 \cdot 9\text{H}_2\text{O}$ + 20 g. $\text{Ca}(\text{NO}_3)_2 \cdot 4\text{H}_2\text{O}$) in 100 ml. dist. water. Carbonize over a small flame, then completely ash in a muffle at 450-500°. Treat the ash with 10 ml. HNO_3 (1:1) and boil the mixt. for 10-15 min. Transfer to a 200-ml. beaker, and 8 ml. 20% $\text{Cu}(\text{NO}_3)_2$ soln. and 200 ml. hot, dist. water. Place on a hot water bath, and electrolyze for 2 hrs. at 1.5 amp. and 8-9 v. A spiral Pt. wire surrounding a glass spiral serves as cathode; Winkler's electrode, a wire-mesh cylinder, is the anode. After the electrolysis is finished, wash the anode with water and stop the current. Dissolve the PbO_2 from the anode with 10-15 ml. HNO_3 (d. 1.4) together with 3-5 drops H_2O . Evap. the soln. to dryness on the water bath, dissolve the residue in 0.5 ml. HNO_3 (1:1) and det. the Pb colorimetrically. By this method 0.05-1.0 mg. Pb can be detd. The analysis requires 3-5 hrs. The results are correct to 93% of the actual Pb content. The presence of Sn does not interfere. (4 tables, 25 references.) S. Muchnik

S. Machtloso

ASB-3LA METALLURGICAL LITERATURE CLASSIFICATION

[illegible]

J-3

USSR/Soil Cultivation. Mineral Fertilizers.

Abs Jour: Ref Zhur-Biologiya, No 1, 1958, 1256.

Author : Kodanov, I., Zotova, M.

Inst : Gor'kovskiy Combination Station.

Title : Experiments of the Gor'kovskiy Combination Station.

Orig Pub: Udobreniye i urozhay, 1956, No 8, 56-57.

Abstract: It has been established that nitrogen fertilizers have a favorable effect on cover crop (barley) yields and a negative one on the clover-timothy combination. When applied to a lucerne-grass mixture, the grass harvest increases; but the reaction of the lucerne upon nitrogen fertilizers is less favorable, as is the growth of the lucerne in combination with the grass element. Phosphorous-potassium fertilization of the cover crop increased the yield of clover

Card : 1/2

-26-

Mineral Fertilizers.

Abs Jour: Ref Zhur-Biologiya, No 1, 1958, 1256.

J-3

and lucerne, especially in the first year of its application. These grasses are recommended for use in field rotations in regions where grass can be sown successfully.

Card : 2/2

-27-

ZOTOVA, M.E.

USSR / Pharmacology, Toxicology. Chemotherapeutic Agents.

U-7

Abs Jour : Ref. Zh.-Biol., No 2, 1958, No 8135

ZOTOVA, M. G. Cand Biol Sci -- "Curative effect of unithiole in radiation sickness caused by ^{administration} ~~introduction~~ of polonium." Mos, 1961 (Acad Med Sci USSR).
(KL, 4-61, 192)

5/205/63/001/005/029
2026/2185

AUTHOR: Zotova, N. A.
TITLE: water-soluble adenosinetriphosphatase in the organs of
rats irradiated with polonium

PERIODICAL: Radiobiologiya, v.3, no.1, 1963, 21-23

The adenosinetriphosphatase activity during acute radiation sickness was studied. Acute radiation sickness was induced in rats by the subcutaneous injection of polonium in a dose of 1.5 mcu/kg, and the adenosinetriphosphatase activity of the internal organs was determined in animals killed at intervals of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100. A 500 mg sample of each organ was suspended in 10 ml of water. The suspension was centrifuged at 1000 g for 10 minutes. The supernatant was assayed for ATPase activity. The activity was expressed as $\mu\text{mol Pi released per 100 mg of fresh tissue per hour}$. In control determinations with normal rats the mean activity of the kidney was 73, the liver 72, spleen 63 and brain 56. In the experimental rats a fall of up to 60% in these values set in during the first 24 hours.

Card 1/2

Water-soluble adenosinetriphosphatase. S/205/63/003/001/005/029
E020/E105

Days after exposure to radiation, after which the activities rose but did not return to normal levels. These results agree with those previously obtained by the author on the acute decrease of the number of SH-groups during poisoning induced radiation sickness. The fact that the enzyme activity increases after internal irradiation and decreases after external could be explained by the difference in the duration of irradiation - a single high dose irradiation of short duration in the first case and constant internal one in the second. There are 2 tables.

S. P. 120. April 20, 1962

Car. 2/2

ZOTOVA, M.G.

Water-soluble adenosinetriphosphatase in the organs of rats
affected by polonium. Radiobiologiya 3 no.1:21-23 '63.

(MIRA 16:2)
(ADENOSINETRIPHOSPHATASE) (POLONIUM--PHYSIOLOGICAL EFFECT)

"A Description of the Medicinal Effect of Unithiole in Polonium Injury."

report presented at the 146th meeting of the Pharmacology and Toxicology Section
of the Moscow Society of Physiologists, Biochemists and Pharmacologists, 25 Mar. 1958.

II Moscow Medical Institute

(Farmakologiya i Toksikologiya, 21, no 6, Nov-Dec 58, p. 617)

ZOTOVA, M.G. (Moskva)

Effect of unithiol in the secretion of polonium (Po^{210}) from the
body. Med.rad. 3 no.6:67-68 H-D '58. (MIRA 12:1)
(POLONIUM IN THE BODY)
(PROPANESULFONIC ACID)

L 1937-66 ENT(1)/ENT(m)/EWA(b)-2 AC
ACCESSION NR: AP5024175

UR/0290/45/000/002/0111/0119
633.88.03+615.32

AUTHOR: Zotova, M. I.; Krylov, G. V.; Saratikov, A. S.

TITLE: Golden root - a new stimulant and adaptogenic drug

SOURCE: AN SSSR. Sibirskoye otdeleniye. Izvestiya. Seriya biologo-meditsinskikh nauk, no. 2, 1965, 111-119

TOPIC TAGS: plant growth, pharmacognosy, experimental animal, nervous system drug, drug effect, bodily fatigue, psychophysiology, Eleutherococcus, Rhodiola rosea

ABSTRACT: Rhodiola rosea (golden root) is described in detail and its pharmacological effects are compared with those of Eleutherococcus. Literature data on the effects of Rhodiola rosea are contradictory, largely because of different drying and extraction methods. In the present study, Rhodiola rosea roots gathered in the Altai region were dried at 60° and extracted by a supercolation method using the following as solvents: 0.5% aqueous chloroform, 20° ethyl alcohol, 40° ethyl alcohol, and 70° ethyl alcohol. The stimulant effect of the extract was determined by changes in the lengths of time white mice were able to cling to a vertical rod before and after administration of the extract. Findings show that all the root extracts reduce body fatigue, but to different degrees. The 40° alcohol extract by

Card 1/2

ACCESSION NR: AP5024175

4

1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 26

Z01
APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R002065510007-5
CIA-RDP86-00513R002065510007-5"

KODANEV, I.M.; ZOTOVA, M.L.

Effect of cultivation methods on barley productivity and brewing
qualities in Gorkiy Province. Trudy VNIIPP no.5: 159-176 '55.
(Gorkiy Province--Barley) (MLBA 9:1)

ZOTOVA, I.

Development of Armenia's export resources and import requirements,
Vostok. torg. 41 no. 2:39-44 '51. (MIRA 14:2)
(Armenia—foreign economic relations)

12

Standardization of (writing) ink. N. Zaitzev, *Materialy Vsesoyuz. Nauch.-Issled.-vost. Inst. Bumazh. Tselyulod. Prom. (Trans. All-Union Sci. Research Inst. Paper Cellulose Ind.)* 1932, No. 3, 11-20.—The study of standard foreign and domestic inks led to the following conclusions: The electrically pos. action of Fe salts in ink can be entirely counteracted by a large content of an acid; with the right proportion of Fe and acid in ink, an addn. of a negatively charged dye will cause ink penetration of even the best sized paper. The compn. of inks must be changed with reduction of mineral and tanning acidity, and some reduction of Fe salts, which are oxidized in time with the destruction of paper. The best results were obtained with reciprocal, positively charged basic dyes, easily absorbed by cellulose with the formation of insol. compds. The quantity and quality of thickening and preserving materials have no noticeable effect on the ink penetration of paper, though an increased proportion of the former and the reduction to a min. of the latter is advisable. Chas. Blane

717

Rapid Volumetric Determination of Magnesium in Duralumin. N. Zaynizk. (Zarod. Lab., 1934, 3, 465; *Brit. Chem. Abs.*, 1934, [B], 890).—[In Russian.] 2 gm. of Duralumin are dissolved in 40 c.c. of 25% KOH, the solution is diluted, and the precipitate of Cu, Fe, Mg, and Mn hydroxides is dissolved in 35 c.c. of concentrated HNO_3 ; 2 gm. of KClO_4 are added, and the solution is concentrated to 10 c.c., when Mn separates as MnO_2 . The suspension is diluted to 60 c.c., 30 c.c. of 25% NH_4Cl are added, and aqueous NH_3 to the formation of a blue coloration due to Cu complexes. The solution is filtered, the filtrate containing only Cu and Mg is decolorized by excess of 40% KIO₃, and 7-8 c.c. of 25% hydroxyquinoline in EtOH are added at 60°. The precipitate of Mg salt of hydroxyquinoline is dissolved in warm 8% HCl, excess of 0.1N-KBr-KBrO₃ and 8 c.c. of 20% KI are added, and the I₂ liberated is titrated with 0.1N-Na₂S₂O₃.—S. G.

ASME METALLURGICAL LITERATURE CLASSIFICATION

[illegible]

1945-46

THE UNIVERSITY OF CHICAGO PRESS

E 80m **6(1) 2, 7, 9**

1990

ZOTOVA, N

PROCESSES AND PROPERTIES NOTED

Manufacture of the artificial leather "prum." 1) Bernshstein and N. Zotova. *Kharkovskaya Khimicheskaya Proizv.* 13, 730-42(1934).—This leather substitute used in the manuf. of the insoles is prepd. from ground vegetable matter and leather waste. The latter must be obtained before disintegration to produce on milling the required type of tissue. The operation is facilitated by adding more than 1% caustic; this requires, however, a tanning of the finished sole with chrome, alum and hypomphite (various formulas are given). The binder consists of latex and Al_2O_3 or an acid for coagulation. The effects of the ionization of various components on the setting properties of the binder are discussed. The processes are described in detail.
A. A. Buchlurk

ASAC 51A METALLURGICAL LITERATURE CLASSIFICATION

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

ZOTOVA, N. A.

Dissertation defended for the degree of Candidate of Economic Sciences
at the Institute of Economics

"Foreign Trade of the Rumanian People's Republic with the Soviet Union
and Its Role in Building the Socialist Economy of Rumania."

Vestnik Akad. Nauk, No. 4, 1963, pp 119-145

Monday, September 26, 2002
SERGEYEV, V.P.; TARNOVSKIY, O.I.; MITROFANOVA, N.M.; SHMELEV, N.P.;
SHABUNINA, V.I.; SKVORTSOVA, A.I.; VASIL'TSOV, V.D.;
KRASNOGLAZOV, B.P.; BELYAYEV, Yu.N.; KURAKIN, V.A.; YUMIN,
M.N.; SERGEYEV, V.P.; ZOTOVA, N.A.; MATVIYEVSKAYA, E.D.;
STUPOV, A.D., *otv. red.*; LISOV, V.Ye., *red. izd-va*;
NOVICHKOVA, N.D., *tekhn. red.*

[Economic cooperation and mutual aid in socialist countries]Eko-
nomicheskoe sotrudnichestvo i vzaimopomoshch' sotsialisticheskikh
stran. Moskva, Izd-vo Akad. nauk SSSR, 1962. 272 p.
(MIRA 16:2)

1. Akademiya nauk SSSR. Institut ekonomiki mirovoy sotsialisti-
cheskoy sistemy.

(Communist countries--Foreign economic relations)
(Communist countries--Industries)

BC

B-1-7

Application of infrared spectroscopy to determination of cadmium and magnesium in cadmium bromide. H. J. Kavanagh, Harco Lab., 1958, 7, 870-873. A solution of 1 g. of bromide in 12 ml. of HNO_3 is added to 20 ml. of water and heated at 100°C to complete pptn. of H_2SO_4 , which is collected, washed, ignited, and weighed. 4 ml. of 20% H_2SO_4 are added to the filtrate, washing. Cd is removed electrolytically, and 2-3 drops of H_2SO_4 are added to the residual electrolyte, which is then evaporated to complete evaporation of H_2O . The residue is transferred with 150 ml. of H_2O to a beaker, and is stirred with 10% w/v NH_4OH (M. orange), 1-20 ml. of 10% NaOH , 5-10 g. of NaOH , and H_2O to 250 ml. are added, and Cd is determined by Leco's internal electrolysis method (B., 1937, 40). A solution of 1 g.

of alloy in 10 ml. of HNO_3 and 5 ml. of 20% H_2SO_4 is evaporated to eliminate HNO_3 , and the residue is dissolved in 50 ml. of H_2O . Cu, Zn, and Cd are removed electrolytically (Pt anode, Hg cathode), and Mg is determined in the residual electrolyte by 8-hydroxyquinoline pptn. B. T.

100-300000-10007-5

CA

Determination of magnesium by titration and cadmium by internal electrolysis in cadmium bronzes. N. I. Zolotarev, *Zhurnal Khim. 7, 250-2 (1938)*.--In the analysis of Cd bronzes Sn is detd. as Sn²⁺ with HNO₃ and Cu in the filtrate by electrolytic pptn. as usual. In the detn. of Cd (0.12-0.13%) by the Lur'e and Trotskaya method of internal electrolysis (C. A. 31, 64, 7780) satisfactory results can be obtained only in a H₂SO₄ soln. freed from ali traces of nitrate. Mg is detd. in a sep. sample. Evap. a soln. of 1 g. of turnings in 10 ml. HNO₃ (d. 1.12) and 3 ml. of 50% H₂SO₄ to fuming, add 50 ml. of hot water and electrolyze with a Pt-spiral anode and Hg cathode at 3-4 amp. for 1-1.5 hrs. Decant the Mg electrolyte and wash the amalgam of Cu, Cd and Sn with hot water. (If the united solns. are slightly turbid, add 10 ml. of 25% NH₄Cl and 10 ml. excess NH₄OH, boil, filter and wash the ppt. with hot water.) Treat the united solns. with a slight excess of NH₄OH, ppt. Mg with 7-8 ml. of 3% alc. 8-hydroxyquinoline at 60-60°, wash the ppt. with dil. NH₄OH and hot water, dissolve it in the filter with 30 ml. of 8% HCl and wash the filter with hot water. Introduce into the filtrate 3 drops of 1% indigo carmine and excess of KBr-KBrO₃ soln., add to the yellow soln. 5 ml. of 20% KI and titrate with 0.1 N Na₂S₂O₃ and a starch soln. (Chem. Abstr.)

ASTM-51A METALLURGICAL LITERATURE CLASSIFICATION

PRIVES, M.G.; ZAVEN, M.I.

Effect of external and internal factors on the formation of
collateral pathways of the lymph flow. Arkhiv. anat. hist. i
embr. 43 no.10:102-108 0'62. (MIRA 1966)

1. Kafedra normal'noy anatomii (zav. - prof. M.G. Prives) i-go
leningradskogo meditsinskogo instituta imeni akademika Pavlova.

ZOTOVA, N.I.

Effect of the disturbance of the integrity of the optic thalamus
on the arterial collateral blood supply to the stomach. Arkh.
anat., gist. 1 embr. 49 no.8:45-50 Ag '65. (MIRA 18:9)

1. Kafedra normal'noy anatomii (zav.- sozluchennyi deyateli'
nauki prof. M.G. Prives) 1-go Leningradskogo meditsinskogo
instituta imeni akademika I.P. Pavlova.

BABIN, Ye. P.; KUZ'MENKOV, A. A.; ZOTOVA, N. I.

Boron fluoride as catalyst in reactions promoting the removal of
sulfur from coke chemical benzenes. Zhur. prikl. khim. 38 no. 6: 1253-
1256 Je '65. (MIRA 18:10)

1. Donetskoye otdeleniye Instituta organicheskoy khimii AN UkrSSR.

ZOTOVA, N. N. (USSR)

"Biochemical Processes in the Conditioning of Wheat."

Report presented at the 5th International Biochemistry Congress,
Moscow, 10-16 Aug 1961

ZOTOVA, N.N.; KRETOVICH, V.L.; LYUBIMOVA, N V.

Effect of wheat moistening on the glutamic decarboxylase
activity. Dokl. AN SSSR 160 no.5:1194-1196 F '65.

(NIEA 18:2)

1. Moskovskiy tekhnologicheskii institut pishchevoy promyshlennosti. 2. Chlen-korrespondent AN SSSR (for Kretovich).

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065510007-5
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R002065510007-5

L 3631-66 EWT(1)/EWT(m)/EMP(t)/EWP(b) LJP(c) JD
ACCESSION NR: AP5024049

AUTHOR: Zotova, N. V.; Nasledov, D. N.; Sreseli, O. M.
UR/0057/65/035/009/1672/1674
621.382.61

TITLE: n-type gallium arsenide Hall transducers

SOURCE: Zhurnal tekhnicheskoy fiziki, v. 35, no. 9, 1965, 1672-1674

TOPIC TAGS: Hall effect, Hall constant, electron mobility, gallium arsenide, magnetic field measurement, high temperature instrument

ABSTRACT: The authors have constructed and tested Hall transducers of highly purified GaAs. The preparation, purification, and doping (if any) of the materials is not discussed. Materials were obtained having Hall constants from 300 to over 1000 cm³/C and electron mobilities from 3500 to 5000 cm²/V sec. Materials with electron concentrations above 10¹⁷ cm⁻³ were unsuitable because of their low Hall constants. The greatest difficulty in fabricating the transducers was encountered in securing adequate metallic contacts. The contacts were of tin and were fused to the semiconductor in vacuum at 400-450 °C for 5 min. These contacts could be used at temperatures up to 210 °C, but the contact resistance was some 30% of the total resistance of the instrument. The eight transducers tested varied slightly in size, a typical one measuring 8.6 x 2.5 x 0.23 mm. For each transducer the current-voltage characteristic was determined, the Hall emf was measured by an open-circuit.

Card 1/2

L 3631-66

ACCESSION NR: AP5024049

cuit compensation method as a function of magnetic field strength for a fixed value of the current (ranging from 50 to 300 mA), and the temperature coefficient of the Hall emf was measured at a constant magnetic field strength of 10 900 Gs at temperatures from 30 to 210 °C. The temperature coefficient is given for only one of the transducers; this transducer had a sensitivity of 4×10^{-2} V/Gs and a temperature coefficient of 0.029 % per degree. The principal advantage of the GaAs Hall transducers is that they combine a low temperature coefficient over a wide temperature range with a reasonable sensitivity. Development of better metallic contacts will make it possible to increase the temperature range over which the instrument can be used and also to increase the current and thereby the sensitivity. Orig. art. has: 3 formulas, 2 figures, and 2 tables.

ASSOCIATION: Fiziko-tekhnicheskii institut im. A.F.Ioffe AN SSSR, Leningrad
(Physico-technical Institute, AN SSSR)

SUBMITTED: 21Jan65

ENCL: 00

SUB CODE: 1M, TD

NO REF SOV: 004

OTHER: 000

BVK
Card 2/2

L 15795-63

EWI(1) EWG(n) EWP(n) EWT(m) BDS/EEC(h)-2 ASFTG/ASL/HSE-3/

TITLE: p-n junctions made from InAs

SOURCE: Radiotekhnika i elektronika, v. 8, no. 9, 1963, 1602-1606

ABSTRACT: Indium arsenide p-n junction, p-n junction, tunnel p-n junction, indium arsenide

NOTE: Properties of diffused p-n junctions made from InAs are discussed. Single-crystal, native indium arsenide with a Hall coefficient of 10^{-4} cm³/C and a resistivity of approximately 10^{-2} ohm-cm was used as the initial material. Following diffusion of boron, the samples (0.5 x 0.5 x 0.1 cm) were placed in a furnace with a saturation of chlorine in a quartz tube, where the diffusion process took place at 700°C. Saturated vapor pressure was fixed by the lowest temperature of the system (i.e., 600°C). After diffusion, the average concentration of acceptors in the p-layer was between 10^{17} and 10^{18} cm⁻³, the n-region thickness

Country : USSR
Category : General Problems of Pathology. Pathophysiology of Infectious Process
Abs. Jour. : Ref Zhur-Eiol, 1959, No 4, 18179
Author : Zotova, M. Ye.
Institut. : Uzbekistan Scientific Research Dermatovenereo-
Title : Antitoxic Liver Function in Patients with Syphilis Treated According to the Plans for 1949-1951
Orig Pub. : Sb. tr. Uzbekist. n.-i. kozhno-venerol. in-ta, 1957, 6, 257-261
Abstract : The antitoxic function of the liver (AFL) was studied in 101 patients with syphilis. The quantity of hippuric acid excreted in the urine, in the amount equivalent to 3.7 g. of sodium benzoate, was taken as 100%; the range between 70% and 100% was considered normal. Before treatment, the AFL of 51 out of 101 patients was normal or close to normal (100%-60%); in 24
* Logical Institute

Card: 1/2

L 04785-67 EWT(m)/EWP(t)/ETI IJP(c) JD

ACC NR: AP6024467

SOURCE CODE: UR/0181/66/008/007/2074/2076

AUTHOR: Zotova, N. V.; Lebedev, A. A.; Nasledov, D. N.

ORG: Physicotechnical Institute im. A. F. Ioffe, AN SSSR, Leningrad (Fiziko-
tekhnicheskiy institut AN SSSR)

TITLE: (Diffusion of cadmium in indium arsenide

SOURCE: Fizika tverdogo tela, v. 8, no. 7, 1966, 2074-2076

TOPIC TAGS: cadmium, physical diffusion, indium compound, arsenide, pn junction, semi-conductor impurity

ABSTRACT: In view of the limited amount of systematic data concerning the diffusion of impurities in indium arsenide, the authors present some new results on the diffusion of Cd in InAs of n-type. The donor content was $4 \times 10^{16} - 6 \times 10^{19} \text{ cm}^{-3}$. The tests were made on single-crystal indium arsenide, both pure and doped with tellurium and selenium. The diffusion was in saturated cadmium vapor at $750 - 780^\circ\text{C}$ and 10^{-6} mm Hg . The depth of the p-n junction was determined by the removal of layer method and determination of the sign of the charge from the thermal emf. The results show that the diffusion of Cd in InAs depends on the initial concentration of the donor impurity but not on the nature of the donor; the diffusion coefficient decreases with increasing impurity concentration in the initial substance. The decrease in the diffusion coefficient in strongly doped material is shown to be connected with the formation of donor-acceptor pairs which diffuse more slowly than free acceptors. Orig. art. has: 2

L 04785-67

ACC NR: AP6024467

figures, 2 formulas, and 2 tables. 0

SUB CODE: 20/ SUBM DATE: 07Dec65/ ORIG REF: 001/ OTH REF: 001

Card 2/2 *pla*

ZOTOVA, N.I.

Effect of disruption of unity of the premotor zone on collateral circulation of the stomach. Biul. eksp. biol. i med. 40 no.12: 55-59 D '55 (MIRA 9:3)

1. Iz kafedry normal'noy anatomii (zav.-prof. M.G. Prives) i Leningradskogo meditsinskogo instituta imeni I.P. Pavlova (dir. -dotsent A.I. Ivanov)

(CEREBRAL CORTEX, physiology,

eff. of exper. lesions on collateral circ. of stomach in cats)

(STOMACH, blood supply,

eff. of exper. lesions of cerebral cortex on collateral circ. in cats)

ZOTOVA, N.N.; KRETOVICH, V.L.

Biochemistry of wheat conditioning. Izv. AN SSSR. Ser. biol. 26 no.5:
708-716 S-0 '61. (MIRA 14:9)

1. Technological Institute of Food Industry and Institute of Biochemistry,
Academy of Sciences of the U.S.S.R., Moscow.
(GRAIN HANDLING)

66273

SOV/181-1-11-8/27

~~24 (6)~~ 24.7600

AUTHORS: Zotova, N. V., Nasledov, D. N.

TITLE: Hall Generators From Indium Arsenide for the Measurement of the Magnetic Field Strength

PERIODICAL: Fizika tverdogo tela, 1959, Vol 1, Nr 11, pp 1690-1694 (USSR)

ABSTRACT: From the stoichiometrically composed source materials the indium arsenide is prepared by vacuum melting at 1000°C. The melt was subjected to a zone purification which made possible the examination of the final monocrystalline and polycrystalline samples of the n-type, having an impurity concentration of $1.6 \cdot 10^{16}$ to $10^{10}/\text{cm}^3$, as to their most important properties. The temperature dependence of the electrical conductivity is shown in figure 1 for 3 different values of n and a temperature range -196°C - +400°C. The dependence of the Hall constant R on temperature is illustrated in figures 2 and 3. At an impurity concentration of $2 \cdot 10^{17}/\text{cm}^3$ R varies by 0.02% per 1°C and at a concentration of $3 \cdot 10^{16}/\text{cm}^3$ only by 0.08%. It was established that R does not depend on H up to 21000 Oe. Primary elements were

Card 1/3

Hall Generators From Indium Arsenide for the
Measurement of the Magnetic Field Strength

66273

SOV/181-1-11-8/27

prepared from the samples with the properties described. They consist of platelets (length = 8-5 mm, width 4-3 mm, thickness 0.2-0.1 mm), with 4 or 5 electrodes: 2 current and 2 or 3 Hall electrodes. The platelets are glued on mica and are sometimes placed into small metallic boxes, for better cooling. The contacts are prepared with special care so that only ohmic contacts can occur. The following characteristic properties of the primary elements are measured by the usual method: a) Hall EMF ((3 different samples) versus field strength in the temperature range +20 - +55°C (Fig 8), b) Hall EMF versus control current (Fig 9). In a sample of $n = 3 \cdot 10^{17}/\text{cm}^3$ the optimum current density is $j = 90 \text{ a}/\text{cm}^2$, in a sample of $n = 2 \cdot 10^{16}/\text{cm}^3$, however, it is $60 \text{ a}/\text{cm}^2$. c) the sensitivity of the primary element is measured for 5 different samples (see Table). d) The influence of the shape of the sample on the EMF occurring in the Hall electrode is investigated (Fig 10). e) The accuracy of the H measurements was

4

Card 2/3

Hall Generators From Indium Arsenide for the
Measurement of the Magnetic Field Strength

66273

SOV/181-1-11-8/27

0.8, 0.6 and 0.5% for 300, 1000, and 3000 Oe, respectively.
After a continuous 7-hour operation the values of the
primary elements can all be reproduced with an accuracy of
0.5%. There are 10 figures, 1 table, and 9 references.

ASSOCIATION: Fiziko-tekhnicheskiy institut AN SSSR, Leningrad
(Physico-technical Institute of the AS USSR, Leningrad)

SUBMITTED: March 4, 1959

4

YESINA, N.P.; ZOTOVA, N.V.; NASLEDOV, D.N.

P-n junctions in indium arsenide. Radiotekh. i elektron. 8
no.9:1602-1606 S '63. (MIRA 16:9)
(Semiconductors) (Transistors) (Indium arsenides)

20004

S/105/61/000/003/001/001
B116/B206

9,4300 (and 1035, 1143, 1150)

AUTHORS: Nasledov, D. N. and Zotova, N. V.

TITLE: Instrument for measuring direct currents of up to 40 ka

PERIODICAL: Elektrichestvo, no. 3, 1961, 70-73

TEXT: This is the description of an instrument similar to those developed by the Siemens-Schuckert Plants in the Federal German Republic (Refs. 2,3). It was developed by the authors for the purpose of measuring direct currents of up to 40 ka with an error of measurement of about 0.7%. The instrument is based on measuring the magnetic-field strength, the field being produced by the direct current by means of Hall generators developed by the authors. These Hall generators are made from indium arsenide (semiconductor) (Ref. 1). The new instrument differs from those used in the USSR for measuring direct currents by the following facts: it can easily be placed on a conductor rail and measure the current in any section of the rail; the instrument has a millivoltmeter of the class of accuracy of 0.5 and a linear scale in the entire measuring range; the instrument indications do not depend on outside effects of

Card 1/7

4

20084

Instrument for measuring direct ...

S/105/61/000/003/001/001
BT16/B206

foreign magnetic fields, foreign steel masses etc; the instrument has a sufficiently low error of measurement; the indications do not depend on the temperature up to + 50°C (the lower limit is unrestricted); the measuring process and calibration of the instrument are very simple; the Hall generators used in the instrument are exchangeable and reliable; the instrument is not sensitive to overloads and consumes a maximum of 1.5 w. The basic circuit diagram for connecting the two Hall generators is shown in Fig. 1. The rails conducting the direct current to be measured are gripped by the steel yoke consisting of two U-shaped parts. The Hall generators are placed in the two air gaps formed between these parts. It is shown that the sum of the magnetic-field strengths H_1 and H_2 in the two gaps of the width l_1 and l_2 respectively will only be proportional to the measured current I , if $H_{Fe} l_{Fe} \ll I$. H_{Fe} is the magnetic-field strength along the path l_{Fe} in the steel. This condition is only fulfilled in a material with steep magnetization curve and narrow hysteresis loop. Such a material is cold rolled silicon sheet steel

4

Card 2/7

0001

Instrument for measuring direct ...

S/105/61/000/003/001/001
B116/B206

χ_{Fe} (KhVP), which shows a high saturation induction, making it possible to obtain great magnetic-field strengths in the air gaps. The neglect of H_{Fe} in comparison to I is the only fault of this direct-current measuring method. The instrument is described in short with the aid of Fig. 2. The yoke is made from KhVP steel and consists of thin lamellas, in order to prevent heating owing to eddy currents. Between the two yoke parts there are very exactly machined calibrated copper cups. The yoke dimensions are: 114 x 87 x 30 cm. The surface of the recess for the rail is 37 x 34 cm. The air gap is 3 cm. The weight of the yoke is 1600 kg. The Hall generators were made from indium arsenide and showed a sensitivity of about 100 $\mu\text{V}/\text{G}$. It was possible to reduce the potential drop at the Hall contacts to from 0.05 to 0.2 mv for $H = 0$. The control panel consists of two indicating instruments of precision class 0.5 (a milliammeter for measuring the control currents of both transmitters and a millivoltmeter calibrated in kiloampere) and a circuit for separate transmitter feeding, compensating the foreign emf and measuring the Hall emf. Each Hall generator has its own, accurately selected load resistance, since not only the Hall emf, but also the linearity of the scale depends on it.

Card 3/7

4

Instrument for measuring direct ...

S/105/61/000/003/001/001
B116/B206

Provision is made for a recording device to be added on the panel. Fig. 3 shows the basic circuit diagram of the panel. In this circuit the microammeter with the resistor connected in series serves as recording apparatus. The instrument scale is strictly linear for measurements of up to 40 ka and remains so up to 50 ka, if the air gap is increased to 4 cm. The great weight of the instrument is mentioned as a drawback. Experiments to reduce it have led to a reduction of the measuring accuracy. At present the authors are developing a direct current measuring instrument for currents of up to 100 ka, based on the same principal described here. There are 6 figures and 3 references: 1 Soviet-bloc.

ASSOCIATION: Fiziko-tekhnicheskii institut AN SSSR (Physicotechnical
Institute of the AS USSR)


SUBMITTED: December 8, 1956

Card 4/7

Instrument for measuring direct ...

20004
S/105/61/000/000/001/001
B116/B205

Legend to Fig. 1:
Basic circuit diagram for
connecting the Hall generators.
1) and 2) current contacts of
the Hall generators, 3) and 4)
Hall contacts, 5) and 6) Hall
generators, 7) and 8) their
corresponding load resistances
~ 10 Ohm.



Card 5/7

20004

Instrument for measuring direct ...

S/105/61/000/003/001/001
B116/B206

Legend to Fig. 2: General view of the measuring instrument for high direct currents.
1) U-shaped parts of the magnetic conductor, 2) steel yoke, 3) bracket plates from duralumin, 4) recess for the conductor rail, 5) calibrated copper cups, 6) Hall generators, 7) wedge connecting the Hall generators with the control panel.




Fig. 2

Card 6/7

Instrument for measuring direct ...

3/100/61/000/000/001/001
B116/B206

Legend to Fig. 3: Basic circuit diagram of the control panel.
1) and 2) accumulators feeding the Hall generators; $R_1=R_2 \approx 60$ Ohm variable resistances permitting the generators to be supplied with the necessary control current. 3) and 4) load resistances of the Hall generators. $r_1 = 100$ Ohm, $r_2 = 3$ Ohm, $r_3 = 100$ Ohm resistance for compensating the foreign emf.

